



PROTECTIVE INDUSTRIAL PRODUCTS

HEAD PROTECTION SOLUTIONS

www.pipusa.com

QUICK REFERENCE GUIDE

SAFETY HELMETS

Work At Heights



CONSTRUCTION, INDUSTRIAL & UTILITIES

WIND ENERGY > SCAFFOLDING > TELECOM > UTILITIES


PREMIUM ALL-AROUND PROTECTION



PIP® Traverse™ 280-HP1491RM

- Super lightweight ABS shell
- MIPS® - Multi-Direction Impact Protection
- Foam lateral impact protection
- ANSI Type II; Class E or C
Tested to mandatory EN 12492 shock and penetration requirements

COLORS AVAILABLE



Mips

**MULTI-DIRECTIONAL
IMPACT PROTECTION**

*Accessories can be found in the Traverse™
Safety Helmet Brochure*



JSP® MK8 Evolution® Linesman 280-AHS240

- High strength outer shell with chin strap
- Premium lateral impact protection
- ANSI Type II; Class E or C

COLORS AVAILABLE



* Class C color available



PREMIUM COMFORT + EYE & FACE PROTECTION



**JSP® EVO® VISTAlens™
Ascend™
280-EVLV-CH**

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- ANSI Type I; Class C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE



**JSP® EVO® VISTAshield™
Ascend™
280-EVSV-CH**

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- ANSI Type I; Class C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE



**JSP® EVO® Ascend™
280-EVSN-CH**

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- ANSI Type I; Class C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE



ALL-AROUND PROTECTION



Dynamic® Rocky™ **280-HP142**

- Super lightweight
ABS/Polycarbonate shell
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

COLORS AVAILABLE



Dynamic® Rocky™ **with Mips® Technology** **280-HP142RM**

- Super lightweight ABS/
Polycarbonate shell
- MIPS® - Multi-Direction
Impact Protection
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

COLORS AVAILABLE



LIGHT, VERSATILE & COMFORTABLE



JSP® EVO® 6151 Ascend™

280-EV6151-CH

- Standard brim shell with 4-point chin strap
- Shock absorbing EPS liner
- ANSI Type I; Class E or C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE



JSP® EVO® 6151S Ascend™

280-EV6151S-CH

- Short brim shell with 4-point chin strap
- Shock absorbing EPS liner
- ANSI Type I; Class E or C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE



JSP® EVO® 6161 Ascend™

280-EV6161-CH

- Full brim shell with 4-point chin strap
- Shock absorbing EPS liner
- ANSI Type I; Class E or C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE



⚠ WARNING: Reproductive Harm - www.P65Warnings.ca.gov

HARD HATS

Heavy-Duty



INDUSTRIAL, CONSTRUCTION & UTILITIES

MINING > TUNNELING > DEMOLITION > UTILITIES > METAL WORK

PREMIUM ALL-AROUND PROTECTION



JSP® MK8 Evolution® 280-AHS150

- High strength outer shell
- Premium lateral impact protection
- ANSI Type II; Class E or C

COLORS AVAILABLE * Class C color available



WITHSTANDS HEAT



Dynamic® Wolfjaw™ 280-HP1481R

- Lightweight fiberglass shell
- Radiant heat protection up to 350°F
- Wheel ratchet size adjustment
- ANSI Type I; Class G

ELEVATED HEAT
APPLICATIONS



COLORS AVAILABLE



EXTREME PERFORMANCE



Dynamic® Vesuvio™ 280-HP851

- Ambient heat protection up to 400°F
- Wheel ratchet size adjustment
- ANSI/CSA Type I; Class E

ELEVATED HEAT
APPLICATIONS



COLORS AVAILABLE



PROVEN PERFORMANCE



Dynamic® Wolfjaw™ Carbon 280-HP1471

- Lightweight carbon fiber shell
- 8-point suspension system
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE





ALL-AROUND PROTECTION



Dynamic® Mont-Blanc™ 280-HP542

- Lightweight HDPE shell
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

COLORS AVAILABLE



Dynamic® Kilimanjaro™ 280-HP642

- Sleek and attractive HDPE shell
- Wheel ratchet size adjustment
- 4-point suspension system
- ANSI/CSA Type II; Class E

COLORS AVAILABLE



PROVEN PERFORMANCE



Dynamic® Stromboli™ 280-HP842

- ABS/Polycarbonate shell with matte finish
- Wheel ratchet adjustment
- ANSI/CSA Type II; Class E

COLORS AVAILABLE





CAP STYLE
HARD HATS

General



CONSTRUCTION
& INDUSTRIAL

BUILDING CONSTRUCTION > ROADWORK
EXCAVATION > GENERAL INDUSTRIAL

NEXT GENERATION HARD HATS



JSP® EVO® VISTAlens™
280-EVLV

- Lightweight vented ABS shell
- Adjustable integrated eye protection
- ANSI Type I; Class C

COLORS AVAILABLE



JSP® EVO® VISTAlens™
280-EVLN

- Lightweight ABS shell
- Adjustable integrated eye protection
- ANSI Type I; Class G

COLORS AVAILABLE



JSP® EVO® VISTAshield™
280-EVSV

- Lightweight vented ABS shell
- Adjustable integrated face protection
- ANSI Type I; Class C

COLORS AVAILABLE



JSP® EVO® VISTAshield™
280-EVSN

- Lightweight ABS shell
- Adjustable integrated face protection
- ANSI Type I; Class G

COLORS AVAILABLE



EXTRA PROTECTION COVERAGE



JSP® Evolution® Deluxe 6151 280-EV6151

- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class E or C

COLORS AVAILABLE

* Class C color available



⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov



JSP® Evolution® Deluxe 6151 Short Brim 280-EV6151S

- 10% extra protection zone - Short brim
- Wheel ratchet size adjustment
- ANSI Type I; Class E or C

COLORS AVAILABLE

* Class E color available



⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov



EXTRA PROTECTION ZONE

Approximately 10% extra protection on the sides and the back of the hard hat

EXTRA PROTECTION COVERAGE IN MINING APPLICATIONS



JSP® Evolution® Deluxe 6151 Mining Hard Hat 280-EV6151M

- Mining lamp bracket and cable loop
- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE



⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov



JSP® Evolution® Deluxe 6151 Mining Hard Hat with Reflective Kit 280-EV6151MCR2

- Mining lamp bracket and cable loop
- CR2 reflective kit
- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE



⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

ENGINEERED PERFORMANCE AVAILABLE IN THREE STYLES



Dynamic® Whistler™
280-HP241

- Classic cap styling
- Wheel ratchet or pin lock size adjustment
- ANSI/CSA Type I; Class E or C


COLORS AVAILABLE



Dynamic® Dom™
280-HP341

- Smooth dome shape
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type I; Class E

COLORS AVAILABLE



Dynamic® Stromboli™
280-HP841

- ABS/Polycarbonate shell with matte finish
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type I or II; Class E

COLORS AVAILABLE



ENHANCED
STRENGTH
AND PROTECTION



FULL BRIM
HARD HATS

General



CONSTRUCTION & INDUSTRIAL

> ADDED PROTECTION FROM THE ELEMENTS



PREMIUM DESIGN



COLORS AVAILABLE



WARNING: Reproductive Harm - www.P65Warnings.ca.gov

JSP® Evolution® Deluxe 6161 280-EV6161

- Popular style for outdoor work
- Wheel ratchet size adjustment
- 6-point suspension system
- ANSI Type I; Class E or C

ENGINEERED PERFORMANCE



COLORS AVAILABLE



Dynamic® Kilimanjaro™ 280-HP641

- Sleek and attractive HDPE shell
- Wheel ratchet or pin-lock size adjustment
- 4-point suspension system
- ANSI/CSA Type I; Class E or C

PREMIUM DESIGN FOR MINING APPLICATIONS



COLORS AVAILABLE




WARNING: Reproductive Harm - www.P65Warnings.ca.gov

JSP® Evolution® Deluxe 6161 Mining Hard Hat 280-EV6161M

- Mining lamp bracket and cable loop
- CR2 reflective kit
- Wheel ratchet size adjustment
- ANSI Type I; Class C



COLORS AVAILABLE



WARNING: Reproductive Harm - www.P65Warnings.ca.gov

JSP® Evolution® Deluxe 6161 Mining Hard Hat with Reflective Kit 280-EV6161MCR2

- Mining lamp bracket and cable loop
- CR2 reflective kit
- Wheel ratchet size adjustment
- ANSI Type I; Class E